

h 266

271

285

295

300

303 5 7

315

319

322

324 6 7

342 5

352 4

370

385

h. 392 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

504

29 - Has been an *florin* in *font. sacra* *lib.*
30 *font. sacra*

37

42 44
47

50, 3, 4, 5, 8

60, 2, 5, 6, 8, 9

72, 7, 9

85

91

113, 4, 6

121, 2, 4, 5, 6, 8

132, 5, 14, 6

152 to 159

163, 6 to 192

197

213, 4, 6, 9-

221, 25, 29

235-6

252, 4

504

30 Varieties, i.e. slight modification rarely congenital
p. 114. idem

42 mountains destroying colour sometimes
to 58 a good deal about striped flowers & fruit

61 effects of good soil on villosity, & low elevation

68 atrophy of organ often causes villosity of part

73 Fleshiness of leaves caused by proximity to sea

113 monstrosity of axis almost always affects the
parties appendicular

115 monstrosities more common under culture
than in state of nature.

116 monstrosities, are generally normal in some other species.

121 organs arrested, at different ages of evolution

319 & hence more or less rudimentary.

124 Organs often repeated are most variable in form.
Ibid. p. 116. Hilari.

126 in maize a return to supposed primitive form.

128 comparison of rudiments of stamens to normal
rudiments in other flowers

138 case of monstrosity analogous to other species

140 } 167 ✓ 173. good

156 Belieue in Balancement, 158

163 changes of form, when organ become rudimentary

168 variation of "Piment annuel" see Vilmorin Catalogue

172 analogous variation in most distinct plants; crinkled leaves.

- 189 great tendency in irregular flower to become (2)
 regular (or pelonic) - this is return to
 ancestral structure? p. 191. hereditary -
 generally sterile. Why? - see further, for the
 pelonic flowers relate their normal structure.
- 212 monstrously analogous to other allied genera
- 221 in *Malus apetalata* all stamens condensed into pistils
- 225 Rudiments normal of parts.
- 248 } on soldering of homologous parts (2)
 266 }
- 285 on trunk of tree with nuts & acorn in solid
 wood (x Birch nut - from fruit)
- 309 Displacement very rare monstrously, as in
 animals
- 323 } monstrously analogous to another genus in Family
 342 } (2)
- 327 Linnæus on plants wh. lose corolla in Arctic regions
 (when subject not present)
- 352 Return in stamens to normal number, even
- 353 Remarkable hereditary capsule bursa partless
- 385 Description of the St. Valley apple

(504)